

Capacryl PU-Gloss Ba	sis M	
Version Revision Date:	SDS Number:	Date of last issue: 03.11.2023
4.1 19.01.2024	6005568	Date of first issue: 10.12.2019
SECTION 1: Identification of	the substance/mix	ture and of the company/undertaking
1.1 Product identifier		
Trade name	: Capacryl PU-GI	oss Basis M
1.2 Relevant identified uses of t		-
Use of the Sub- stance/Mixture	: Water-borne co	atings
Recommended restrictions on use	: within adequate	application - none
1.3 Details of the supplier of the	e safety data sheet	
Company	: Caparol Farben Roßdörfer Straß 64372 Ober-Ra	Se 50
Telephone	: +496154710	
Telefax	: +496154717022	22
Website		
E-mail address Responsi- ble/issuing person	: msds@dr-rmi.co	om
1.4 Emergency telephone		
Emergency telephone 1	: +49613284463	GBK GmbH

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

2.2 Label elements

Labeling (REGULATION (EC) No 1272/2008)

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required

Additional Labeling

EUH208 Contains 1,2-benzisothiazol-3(2H)-one, reaction mass of 5-chloro-2-methyl-2H-



Capacryl PU-Gloss Basis M

Version	Revision Date:	SDS Number:	Date of last issue: 03.11.2023	
4.1	19.01.2024	6005568	Date of first issue: 10.12.2019	

isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1), 2,4,7,9-tetramethyldec-5-yne-4,7-diol. May produce an allergic reaction.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

1

3.2 Mixtures

Chemical nature

aqueous dispersion

Components

components			
Chemical name	CAS-No. EC-No.	Classification	Concentration (% w/w)
	Index-No.		(/0 11/11)
	Registration number		
titanium dioxido: [in nowdor form	13463-67-7	Carc. 2; H351	>= 10 - < 20
titanium dioxide; [in powder form		Carc. 2, H351	>= 10 - < 20
containing 1 % or more of parti-	236-675-5		
cles with aerodynamic diameter ≤	022-006-00-2		
10 µm]	01-2119489379-17		
2-methylpentane-2,4-diol	107-41-5	Skin Irrit. 2; H315	>= 1 - < 3
	203-489-0	Eye Irrit. 2; H319	
	603-053-00-3	Repr. 2; H361d	
	01-2119539582-35	•	
2-(2-butoxyethoxy)ethanol	112-34-5	Eye Irrit. 2; H319	>= 1 - < 10
	203-961-6	-	
	603-096-00-8		
	01-2119475104-44		
2,4,7,9-tetramethyldec-5-yne-4,7-	126-86-3	Skin Sens. 1B; H317	>= 0,1 - < 0,25
diol	204-809-1	Eye Dam. 1; H318	
	01-2119954390-39	Aquatic Chronic 3;	
		H412	
1,2-benzisothiazol-3(2H)-one	2634-33-5	Acute Tox. 4; H302	>= 0,025 - <

EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Capacr	yl PU-Gloss B				
Version 4.1	Revision Date: 19.01.2024	SDS Number: 6005568		of last issue: 03.11.2023 of first issue: 10.12.2019	
		220-120-5 613-088-0 01-21207	00-6	Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1; H317 Aquatic Acute 1; H400 Aquatic Chronic 2; H411 Acute Tox. 2; H330 M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1 specific concentration limit	0,05
				Skin Sens. 1; H317 >= 0,05 %	
methy	on mass of 5-chloro-2 /I-2H-isothiazol-3-one /I-2H-isothiazol-3-one	and 2-	00-5	Acute Tox. 3; H301 Acute Tox. 2; H330 Acute Tox. 2; H310 Skin Corr. 1C; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 EUH071	>= 0,0002 - < 0,0015
				M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 100	
				specific concentration limit Skin Corr. 1C; H314 >= $0,6 \%$ Skin Irrit. 2; H315 0,06 - < 0,6 % Eye Irrit. 2; H319 0,06 - < 0,6 % Skin Sens. 1A; H317 >= $0,0015 \%$	



Capacr	Capacryl PU-Gloss Basis M								
Version 4.1	Revision Date: 19.01.2024	SDS Number: 6005568	Date of last issue: 03.11.2023 Date of first issue: 10.12.2019						
			Eye Dam. 1; H318 >= 0,6 %						

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice	:	Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). Move out of dangerous area. First aider needs to protect himself.
If inhaled	:	Move to fresh air.
In case of skin contact	:	Do NOT use solvents or thinners. In case of contact, immediately flush skin with soap and plenty of water.
In case of eye contact	:	If eye irritation persists: Get medical advice/ attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If swallowed	:	Seek medical advice. Clean mouth with water and drink afterwards plenty of water. If swallowed, DO NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

None known.

4.3 Indication of any immediate medical attention and special treatment needed Treatment : No information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media	:	Use water spray, alcohol-resistant foam, dry chemical or car- bon dioxide.
		Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Do not use a solid water stream as it may scatter and spread fire.



Version 4.1	Revision Date: 19.01.2024		OS Number: 05568	Date of last issue: 03.11.2023 Date of first issue: 10.12.2019
Unsui media	table extinguishing	:	None known.	
5.2 Specia	I hazards arising from	the	e substance or mi	xture
Speci fightin	fic hazards during fire g	:	produced such as	zardous decomposition products may be :: a, carbon dioxide and unburned hydrocar-
5.3 Advice	e for firefighters			
•	al protective equipment e-fighters	:	Wear self-contain essary.	ed breathing apparatus for firefighting if nec-
Furthe	er information	:		o cool unopened containers. Ire for chemical fires. does not burn.

SECTION 6: Accidental release measures

• • •	ve equipment and emergency procedures Use protective shoes or boots with rough rubber sole. Material can create slippery conditions. Do not get in eyes, on skin, or on clothing.
6.2 Environmental precautions	
Environmental precautions :	Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities. Do not flush into surface water or sanitary sewer system.
6.3 Methods and material for conta	ainment and cleaning up
Methods for cleaning up :	Keep in suitable, closed containers for disposal. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).

6.4 Reference to other sections

For further information see Section 7 of the safety data sheet. , For personal protection see section 8., For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling



Capac	ryl PU-Gloss Ba	sis	Μ	
Version 4.1	Revision Date: 19.01.2024		DS Number: 05568	Date of last issue: 03.11.2023 Date of first issue: 10.12.2019
Advi	ce on safe handling	:	No special techni In addition, the cu	equate ventilation. ection see section 8. ical protective measures required. urrent technical information for this product n on www.caparol.com must be observed.
Hygi	ene measures	:	drink or smoke w	ore eating, drinking, or smoking. Do not eat, hen using this product. Remove contaminat- rotective equipment before entering eating
7.2 Cond	itions for safe storage,	inc	luding any incom	patibilities
	uirements for storage s and containers	:	in heat or direct soriginal container	en. To maintain product quality, do not store sunlight. Store at room temperature in the r. Containers which are opened must be care- d kept upright to prevent leakage.
Advi	ce on common storage	:	Keep away from materials.	oxidizing agents and strongly acid or alkaline
Stora	age class (TRGS 510)	:	12	
-	ific end use(s)			
Spec	cific use(s)	:	This information i	s not available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis			
titanium dioxide; [in powder form con- taining 1 % or more of particles with aerodynamic diameter ≤ 10 µm]	13463-67-7	AGW (Inhalable fraction)	10 mg/m3 (Titanium dioxide)	DE TRGS 900			
	Peak-limit cate	Peak-limit category: 2;(II)					
	Further inform	Further information: When there is compliance with the OEL and biological					
	tolerance valu	es, there is no risk c	f harming the unborn child	-			
		AGW (Alveolate fraction)	1,25 mg/m3 (Titanium dioxide)	DE TRGS 900			
	Peak-limit category: 2;(II)						
	Further information: When there is compliance with the OEL and biological						

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



1

DE / EN

Capacryl PU-Gloss Basis M

Versi	on Revision Da	te: SDS Number:	Date of last issue: 03.11	
4.1	19.01.2024	6005568	Date of first issue: 10.12	
		tolerance values, there	is no risk of harming the unborn	child

	10.0.0.00						
		BM (Alveolar	0,5 mg/m3	DE TRGS			
		dust fraction)		527			
2-(2- butoxyeth- oxy)ethanol	112-34-5	TWA	10 ppm 67,5 mg/m3	2006/15/EC			
	Further inform	nation: Indicative					
		STEL	15 ppm	2006/15/EC			
			101,2 mg/m3				
	Further inform	Further information: Indicative					
		AGW (Vapour	10 ppm	DE TRGS			
		and aerosols)	67 mg/m3	900			
	Peak-limit cat	Peak-limit category: 1.5;(I)					
		Further information: When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child					

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Routes of expo- sure	Potential health ef- fects	Value
titanium dioxide; [in powder form contain- ing 1 % or more of particles with aerody- namic diameter ≤ 10 µm]	Consumers	Ingestion	Long-term systemic effects	700,00 mg/kg bw/day
	Workers	Inhalation	Long-term local ef- fects	10,00 mg/m3
2-methylpentane-2,4- diol	Consumers	Inhalation	Long-term local ef- fects	25,00 mg/m3
	Consumers	Inhalation	Long-term systemic effects	3,50 mg/m3
	Consumers	Ingestion	Long-term systemic effects	1,00 mg/kg bw/day
	Consumers	Inhalation	Acute local effects	49,00 mg/m3
	Consumers	Skin contact	Long-term systemic effects	1,00 mg/kg bw/day
	Workers	Inhalation	Acute local effects	98,00 mg/m3
	Workers	Inhalation	Long-term systemic effects	14,00 mg/m3
	Workers	Inhalation	Long-term local ef- fects	49,00 mg/m3
	Workers	Skin contact	Long-term systemic effects	2,00 mg/kg bw/day
2-(2- butoxyethoxy)ethanol	Consumers	Inhalation	Acute local effects	60,70 mg/m3
	Consumers	Ingestion	Long-term systemic effects	5,00 mg/kg bw/day
	Consumers	Inhalation	Long-term local ef-	40,50 mg/m3

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



DE / EN

Capacryl PU-Gloss Basis M

sion	Revision Date: 19.01.2024	SDS Nur 6005568		of last issue: 03.11.2023 of first issue: 10.12.2019	
1 19.01.2024		0005500	Dale		
				fects	
		Consumers	Skin contact	Long-term systemic effects	50,00 mg/kg bw/day
		Consumers	Inhalation	Long-term systemic effects	40,50 mg/m
		Workers	Inhalation	Acute local effects	101,20 mg/r
		Workers	Inhalation	Long-term systemic effects	67,50 mg/m
		Workers	Inhalation	Long-term local ef- fects	67,50 mg/m
		Workers	Skin contact	Long-term systemic effects	83,00 mg/kg bw/day
2,4,7,9 tetram 4,7-die	nethyldec-5-yne-	Consumers	Skin contact	Acute systemic ef- fects	0,75 mg/kg bw/day
		Consumers	Ingestion	Long-term systemic effects	0,25 mg/kg bw/day
		Consumers	Ingestion	Acute systemic ef- fects	0,75 mg/kg bw/day
		Consumers	Inhalation	Acute systemic ef- fects	1,29 mg/m3
		Consumers	Inhalation	Long-term systemic effects	0,43 mg/m3
		Consumers	Skin contact	Long-term systemic effects	0,25 mg/kg bw/day
		Workers	Inhalation	Acute systemic ef- fects	5,28 mg/m3
		Workers	Inhalation	Long-term systemic effects	1,76 mg/m3
		Workers	Skin contact	Acute systemic ef- fects	1,50 mg/kg bw/day
		Workers	Skin contact	Long-term systemic effects	0,50 mg/kg bw/day

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
titanium dioxide; [in powder form containing 1 % or more of parti- cles with aerodynamic diameter ≤ 10 µm]	Sewage treatment plant	100 mg/l
	Fresh water	0,184 mg/l
	Soil	100 mg/kg dry weight (d.w.)
	Sea water	0,0184 mg/l
	Fresh water sediment	1000 mg/kg dry weight (d.w.)
	Sea sediment	100 mg/kg dry weight (d.w.)
	Intermittent use/release	0,193 mg/l

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



DE / EN

ersion		SDS Number:	Date of last issue:	
1	19.01.2024	6005568	Date of first issue:	10.12.2019
2-met	thylpentane-2,4-diol	Soil		0,11 mg/kg dry weight (d.w.)
		Intermittent u	se/release	4,29 mg/l
		Secondary P	Disoning	100 mg/kg food
		Fresh water s	ediment	1,79 mg/kg dry weight (d.w.)
		Sea water		0,0429 mg/l
		Sewage treat	ment plant	20 mg/l
		Sea sedimen	t	0,179 mg/kg dry weight (d.w.)
		Fresh water		0,429 mg/l
2-(2-b	2-(2-butoxyethoxy)ethanol	Fresh water		1,1 mg/l
		Fresh water s	ediment	4,4 mg/kg dry weight (d.w.)
		Intermittent u	se/release	11 mg/l
		Sea water		0,11 mg/l
		Sea sedimen	t	0,44 mg/kg dry weight (d.w.)
		Sewage treat	ment plant	200 mg/l
		Soil		0,32 mg/kg dry weight (d.w.)
		Secondary P	oisoning	56 mg/kg food
2,4,7, diol	9-tetramethyldec-5-yne-4	7- Sea water		0,004 mg/l
		Sewage treat	ment plant	7 mg/l
		Sea sedimen	t	0,032 mg/kg dry weight (d.w.)
		Fresh water		0,04 mg/l
		Fresh water s	ediment	0,32 mg/kg dry weight (d.w.)
		Soil		0,028 mg/kg dry weight (d.w.)
		Intermittent u	se/release	0,4 mg/l

8.2 Exposure controls

Personal protective equipme Eye/face protection	ent :	DGUV Regulation 112-192 - Use of eye and face protection
		Goggles
Hand protection Material Glove thickness Protective index	:	Nitrile rubber 0,2 mm Class 3
Remarks	:	Before removing gloves clean them with soap and water. Wear suitable gloves tested to EN374.



Capa	Capacryl PU-Gloss Basis M						
Versio 4.1	n	Revision Date: 19.01.2024		DS Number: 005568	Date of last issue: 03.11.2023 Date of first issue: 10.12.2019		
				DGUV Regulation	112-195 - Use of protective gloves		
SI	Skin and body protection		:	Long sleeved clot	hing		
					tection according to the amount and con- langerous substance at the work place.		
				Skin should be wa	ashed after contact.		
				Safety shoes			
R	Respiratory protection		:	No personal respi quired.	ratory protective equipment normally re-		
				DGUV Regulatior	112-190 - Use of breathing equipment		
					ication: Do not breathe spray dust. Use n filter for paint spraying.		

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	:	liquid
Color	:	white
Odor	:	characteristic
Melting point/freezing point	:	ca. 0 °C
Boiling point/boiling range	:	ca. 100 °C
Upper explosion limit / Upper flammability limit	:	not determined
Lower explosion limit / Lower flammability limit	:	not determined
Flash point	:	Not applicable



Version	yl PU-Gloss Bas Revision Date:		S Number:	Date of last issue: 03.11.2023
4.1	19.01.2024		5568	Date of first issue: 10.12.2019
Autoi	gnition temperature	:	not determined	
Deco	mposition temperature	:	Not applicable	
pН		:	9,00 (20 °C)	
			Concentration Method: DIN E	: 100 % EN ISO 19396-1:2020-05
\ <i>\</i> '	- 14 -			
Visco Vis	sity scosity, dynamic	:	395 mPa.s (20) °C)
			Method: ISO 3	
Vis	scosity, kinematic	:	Not applicable	
Flow	time	:	not determined	t
	ility(ies)			
VVa	ater solubility	:	completely mis	SCIDIE
	ion coefficient: n-	:	not determined	t
octan	ol/water			
Vapoi	r pressure	:	ca. 23,4 hPa (20 °C)
Doloti	vo donoitu		not determined	4
Relati	ve density	:	not determined	1
Densi	itv		1,130 g/m3 (20	0 °C)
20110		•	Method: DIN E	N ISO 2811-1
Bulk d	density	:	Not applicable	
	,			
Relati	ve vapor density	:	not determined	t
	-			
9.2 Other	information			
Explo		:	Not applicable	
Oxidiz	zing properties		Not applicable	



Capacr	yl PU-Gloss Ba	asis M	
Version	Revision Date:	SDS Number:	Date of last issue: 03.11.2023
4.1	19.01.2024	6005568	Date of first issue: 10.12.2019
Flamr	nability (liquids)	: The produc	t is not flammable.
SECTION	I 10: Stability and r	eactivity	
10.1 Reac	tivity		
No de	composition if stored	and applied as dire	cted.
	nical stability		
No de	composition if stored	and applied as dire	cted.
	ibility of hazardous i	eactions	
Hazar	dous reactions	: No decomp	osition if stored and applied as directed.
10.4 Cond	litions to avoid		
Condi	tions to avoid	: Protect fron	n frost, heat and sunlight.
10.5 Incon	npatible materials		
Mater	ials to avoid		e with acids and bases. le with oxidizing agents.
10.6 Haza	rdous decompositio	n products	
No de	composition if stored	and applied as dire	cted.
SECTION	I 11: Toxicological	information	
	-		
11.1 Inform	mation on hazard cla	sses as defined ir	Regulation (EC) No 1272/2008
Acute	e toxicity		
Not cl	assified based on ava	ilable information.	
Comp	oonents:		

2-(2-butoxyethoxy)ethanol:

Acute oral toxicity	:	LD50 (Mouse): 2.410 mg/kg
Acute dermal toxicity	:	LD50 (Rabbit): 2.764 mg/kg

2,4,7,9-tetramethyldec-5-yne-4,7-diol:

Acute oral toxicity : LD50 Oral (Rat): 4.600 mg/kg

1,2-benzisothiazol-3(2H)-one:



apacryl PU-Gloss B	asis ivi						
ersion Revision Date: 1 19.01.2024	SDS Number: 6005568	Date of last issue: 03.11.2023 Date of first issue: 10.12.2019					
Acute oral toxicity	: LD50 (Rat): 532	mg/kg					
Acute inhalation toxicity	: LC50 (Rat): 0,4 Exposure time: 4 Test atmosphere	4 h					
Acute dermal toxicity	: LD50 (Rat): > 2.0	000 mg/kg					
reaction mass of 5-chloro (3:1):	o-2-methyl-2H-isothiazo	ol-3-one and 2-methyl-2H-isothiazol-3-one					
Acute oral toxicity	: LD50 (Rat): 66 n Method: OECD	ng/kg Test Guideline 401					
Acute inhalation toxicity	: LC50 (Rat): 0,17 Exposure time: 4 Test atmosphere Method: OECD	4 h					
Acute dermal toxicity	: LD50 (Rat): > 14 Method: OECD	I1 mg/kg Test Guideline 402					
Skin corrosion/irritation							
Not classified based on ava	ailable information.						
Serious eye damage/eye	irritation						
Not classified based on ava	ailable information.						
Respiratory or skin sensi	tization						
Skin sensitization Not classified based on ava	ailable information.						
	Respiratory sensitization Not classified based on available information.						
Germ cell mutagenicity Not classified based on ava	ailable information.						
Carcinogenicity Not classified based on ava	ailable information.						
Reproductive toxicity							
Not classified based on ava	ailable information.						
STOT-single exposure Not classified based on ava	ailable information.						
STOT-repeated exposure Not classified based on ava							



Capacryl PU-Gloss Basis M

Version	Revision Date:	SDS Number:	Date of last issue: 03.11.2023
4.1	19.01.2024	6005568	Date of first issue: 10.12.2019

Aspiration toxicity

Not classified based on available information.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

Components:

1,2-benzisothiazol-3(2H)-on	e:	
Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 2,2 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia): 3,27 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	EC50 (Selenastrum capricornutum (green algae)): 0,11 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
M-Factor (Acute aquatic tox- icity)	:	1
M-Factor (Chronic aquatic toxicity)	:	1
reaction mass of 5-chloro-2	-me	ethyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one
(3:1):		
M-Factor (Acute aquatic tox- icity)	:	100
M-Factor (Chronic aquatic toxicity)	:	100



Capacryl PU-Gloss Basis M									
Version 4.1	Revision Date: 19.01.2024	SDS Number: 6005568	Date of last issue: 03.11.2023 Date of first issue: 10.12.2019						
	i stence and degradabi ata available	lity							
12.3 Bioa	12.3 Bioaccumulative potential								
Com	ponents:								
2-(2-k	outoxyethoxy)ethanol:								
	ion coefficient: n- ol/water	: log Pow: 0,56							
2,4,7	9-tetramethyldec-5-yn	e-4,7-diol:							
	ion coefficient: n- ol/water	: log Pow: 2,8 (22	°C)						
1,2-b	enzisothiazol-3(2H)-or	ne:							
	ion coefficient: n- ol/water	: log Pow: 0,63 - 0 pH: 7	9,76						
react (3:1):		2-methyl-2H-isothiazo	ol-3-one and 2-methyl-2H-isothiazol-3-one						
	ion coefficient: n- ol/water	: log Pow: <= 0,75 Method: OECD 7	; Fest Guideline 117						
12.4 Mobi	lity in soil								
	ata available								
12.5 Resu	llts of PBT and vPvB a	issessment							
Prod	uct:								
Asse	ssment	to be either persi	nixture contains no components considered istent, bioaccumulative and toxic (PBT), or nd very bioaccumulative (vPvB) at levels of						
12.6 Endo	ocrine disrupting prop	erties							
Prod									
Asse	ssment	ered to have enc REACH Article 5	hixture does not contain components consid- locrine disrupting properties according to 7(f) or Commission Delegated regulation or Commission Regulation (EU) 2018/605 at higher.						



Capacryl PU-Gloss Basis M							
Version	Revision Date:	SDS Number:	Date of last issue: 03.11.2023				
4.1	19.01.2024	6005568	Date of first issue: 10.12.2019				
12.7 Othe	r adverse effects						
Prod	uct:						
Additi matio	ional ecological infor- n		n environmental hazard cannot be excluded in the event of professional handling or disposal.				
	N 13: Disposal cons						
Produ							
11000							
		Waste shoul	d not be disposed of via wastewater.				
Contr	minotod pookoging		taly amptiad containers should be given for reav				

		Waste should not be disposed of via wastewater.
Contaminated packaging	:	Only completely emptied containers should be given for recy- cling.
Waste Code	:	used product 080112, waste paint and varnish other than those mentioned in 08 01 11*

SECTION 14: Transport information

14.1 UN number or ID number		
ADN	:	Not regulated as a dangerous good
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.2 UN proper shipping name		
ADN	:	Not regulated as a dangerous good
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.3 Transport hazard class(es)		
ADN	:	Not regulated as a dangerous good
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good



Version	Revision Date:	SDS Number:	Date of last issue: 03.11.2023		
4.1	19.01.2024	6005568	Date of first issue: 10.12.2019		
IMDG		: Not regula	ted as a dangerous good		
IATA :		: Not regula	ted as a dangerous good		
14.4 Pack	ing group				
ADN		: Not regula	Not regulated as a dangerous good		
ADR		: Not regula	Not regulated as a dangerous good		
RID		: Not regula	Not regulated as a dangerous good		
IMDG :		: Not regula	Not regulated as a dangerous good		
ΙΑΤΑ	(Cargo)	: Not regula	Not regulated as a dangerous good		
ΙΑΤΑ	(Passenger)	: Not regula	Not regulated as a dangerous good		
14.5 Envi	ronmental hazards				
Not re	egulated as a dangero	us good			
14.6 Spec	ial precautions for u	ser			
Rema	arks	: Not classif lations.	ied as dangerous in the meaning of transport regu-		

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	lowing e Number If you in	ons of restriction for the fol- entries should be considered: on list 75 tend to use this product as k, please contact your ven-
REACH - Candidate List of Substances of Very High Concern for Authorization (Article 59).	not conf Concerr 0.1%. T have to	oduct is a mixture and does tain Substances of Very High n (SVHC) equal or above herefore no advised uses be defined and no chemical ssessment has to be gener-
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer	: Not app	licable



Ca	Capacryl PU-Gloss Basis M								
Vers 4.1	sion	Revision Date: 19.01.2024		S Number: 05568			last issue: 03.11.2023 first issue: 10.12.2019		
					2 41				
	Regulation (EU) 2019/1021 on persistent organic pollu- : Not applicable tants (recast)								
	REACH - List of substances subject to authorisation : None (Annex XIV)								
	pean P control	III: Directive 2012/18/ arliament and of the Co of major-accident haza ous substances.	oun	cil on the		Not	applicable		
	Water I ny)	nazard class (Germa-	:				angering AwSV, Annex 1 (5.2)		
		t code for laquers and Giscode	:	M-LW01 Water-ba	ased	varı	nishes		
			:	BSW30 Coating m	nater	ials,	, water-based, containing solvents		
	Volatile	organic compounds	:	emissions (integra	ated	pollu	4 November 2010 on industrial ution prevention and control) ds (VOC) content: 0,35 %		
	Volatile	organic compounds	:	Directive 2004/42/ < 5 % < 1	/EC				

15.2 Chemical Safety Assessment

A Chemical Safety Assessment is not required for this mixture.

SECTION 16: Other information

Full text of H-Statements

H301 H302 H310 H314 H315 H317 H318 H319 H330 H351		Toxic if swallowed. Harmful if swallowed. Fatal in contact with skin. Causes severe skin burns and eye damage. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. Causes serious eye irritation. Fatal if inhaled. Suspected of causing cancer if inhaled
H330 H351 H361d H400 H410	:	Fatal if inhaled. Suspected of causing cancer if inhaled. Suspected of damaging the unborn child. Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.
	•	very toxic to aquatic me with long lasting enects.

by Commission Regulation (EU) 2020/878



DE / EN

Capacryl PU-Gloss Basis M							
Version 4.1	Revision Date: 19.01.2024		S Number: 5568	Date of last issue: 03.11.2023 Date of first issue: 10.12.2019			
H41 ⁻			Toxic to aqua	tic life with long lasting effects.			
H412				uatic life with long lasting effects.			
EUH			Corrosive to the respiratory tract.				
Full	text of other abbrevia	ations					
Acut	e Tox.	:	Acute toxicity				
Aqua	atic Acute		Short-term (acute) aquatic hazard				
	atic Chronic		Long-term (chronic) aquatic hazard				
Carc. :			Carcinogenicity				
Eye Dam. :			Serious eye damage				
Eye	Eye Irrit. :		Eye irritation				
Rep		:	Reproductive toxicity				
Skin	Corr.	:	Skin corrosion				
Skin	Irrit.	:	Skin irritation				
	Sens.	:	Skin sensitization				
	6/15/EC	:	Europe. Indicative occupational exposure limit values				
	FRGS 527		Germany. TRGS 527 - Activities with nanomaterials				
	TRGS 900		Germany. TRGS 900 - Occupational exposure limit values.				
	6/15/EC / TWA		Limit Value - e	•			
	6/15/EC / STEL		Short term exposure limit				
	FRGS 527 / BM	-	Assessment scale				
DE 1	FRGS 900 / AGW	:	Time Weighted Average				

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELX - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GMS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; ICS0 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IBC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory. LCSO - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Loading Rate; NZIOC - New Zealand Inventory of Chemicals; GECD - Organization; EOCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structu

Further information

Other information:

No exposure scenario communication is required for this product according to REACH Regulation No. 1907/2006 EC.

Communication of Uses is not required in accordance with REACH Article 31(1)(a) - registered substances / mixtures do not meet the criteria for classification as hazardous in accordance with Regulations 1272/2008 EC or 1999/45/EC.

Sources of key data used to compile the Material Safety Data Sheet: ECHA WebSite



Capacryl PU-Gloss Basis M

Version	Revision Date:	SDS Number:	Date of last issue: 03.11.2023
4.1	19.01.2024	6005568	Date of first issue: 10.12.2019

ACGIH (American Conference of Government Industrial Hygienists). 2014 TLVs and BEIs. Threshold Limit Values (TLVs) for chemical substances and physical agents and Biological Exposure Indices (BEIs) with Seventh Edition documentation. 2014 ACGIH, Cincinnati OH NIOSH - Registry of toxic effects of chemical substances ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre,

Commission of the European Communities

SAX'S - Dangerous properties of industrial materials

GESTIS - Database on hazardous substances - Institut für Arbeitsschutz der Deutschen Gesetzlichen Unfallversicherung (IFA, Institute for Occupational Safety and Health of the German Social Accident Insurance)

Toxnet - Toxicology Data Network

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

REACH Information

According to our legal obligation we implement the Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH). We will adjust and update our safety data sheets on a regular base in accordance with the information of our upstream-suppliers. As usual we will inform you about the adjustments.

Regarding to the REACH regulation we would like to point out that DAW as a downstream user will not register on behalf of our company. We will rely on information from our suppliers. As soon as new information is available our safety data sheets will be amended accordingly.