according to Regulation (EC) No. 1907/2006



Capatect Klebe- und Armierungsmasse Uni

Version Revision Date: Print Date Date of last issue: 15.12.2020 1.2 05.02.2021 09.02.2021 Date of first issue: 31.10.2019

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : Capatect Klebe- und Armierungsmasse Uni

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- : Cement

stance/Mixture

Recommended restrictions

on use

: within adequate application - none

1.3 Details of the supplier of the safety data sheet

Company : Caparol Farben Lacke GmbH

Roßdörfer Straße 50 64372 Ober-Ramstadt

Telephone : +496154710
Telefax : +4961547170222
E-mail address Responsi- : msds@dr-rmi.com

ble/issuing person

1.4 Emergency telephone number

Emergency telephone num: +49613284463 GBK GmbH

ber 1

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Skin irritation, Category 2 H315: Causes skin irritation.

Serious eye damage, Category 1 H318: Causes serious eye damage.

Specific target organ toxicity - single exposure, Category 3, Respiratory system

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)



Capatect Klebe- und Armierungsmasse Uni

Version Revision Date: Print Date Date of last issue: 15.12.2020 1.2 05.02.2021 09.02.2021 Date of first issue: 31.10.2019

Hazard pictograms :





Signal word : Danger

Hazard statements : H315 Causes skin irritation.

H318 Causes serious eye damage.H335 May cause respiratory irritation.

Precautionary statements : P101 If medical advice is needed, have product container or

label at hand.

P102 Keep out of reach of children.

Prevention:

P260 Do not breathe dust or mist.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/ eye protection.

Response:

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a

POISON CENTER/ doctor.

Storage:

P405 Store locked up.

Hazardous components which must be listed on the label:

Cement, portland, chemicals

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

The product contains chromate reducers, as a result of which the water-soluble chromium (VI) content is less than 0,0002%. In the event of incorrect storage (ingress of moisture) or overlong storage, the chromate reducers contained in the product can lose their efficacy and a sensitising effect of the cement / binding agent may occur in the event of contact with the skin (H317 or EUH203).

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Index-No.		

according to Regulation (EC) No. 1907/2006



Capatect Klebe- und Armierungsmasse Uni

Version Revision Date: Print Date Date of last issue: 15.12.2020 1.2 05.02.2021 09.02.2021 Date of first issue: 31.10.2019

	Registration number		
Cement, portland, chemicals	65997-15-1	Skin Sens. 1; H317	>= 20 - < 30
	266-043-4	Skin Irrit. 2; H315	
		Eye Dam. 1; H318	
		STOT SE 3; H335	
Flue dust, portland cement	68475-76-3	Skin Sens. 1; H317	>= 0,1 - < 1
	270-659-9	Skin Irrit. 2; H315	
	01-2119486767-17	Eye Dam. 1; H318	
		STOT SE 3; H335	
Substances with a workplace exp	osure limit :		
Quartz (SiO2)	14808-60-7		>= 50 - < 70
	238-878-4		
	01-2120770509-45		
kaolin	1332-58-7		>= 1 - < 10
	310-194-1		
Gypsum (Ca(SO4).2H2O)	13397-24-5		>= 1 - < 10

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : Move out of dangerous area.

First aider needs to protect himself.

Never give anything by mouth to an unconscious person.

If inhaled : If symptoms persist, call a physician.

If breathed in, move person into fresh air.

In case of skin contact : If symptoms persist, call a physician.

Wash off immediately with soap and plenty of water while

removing all contaminated clothes and shoes.

In case of eye contact : If eye irritation persists: Get medical advice/ attention.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing.

If swallowed : Seek medical advice.

Clean mouth with water and drink afterwards plenty of water.

If swallowed, DO NOT induce vomiting.

according to Regulation (EC) No. 1907/2006



Capatect Klebe- und Armierungsmasse Uni

Version Revision Date: Print Date Date of last issue: 15.12.2020 1.2 05.02.2021 09.02.2021 Date of first issue: 31.10.2019

4.2 Most important symptoms and effects, both acute and delayed

Risks : Eye contact with the powder (dry or wet) may cause serious

and potentially irreversible injuries.

The powder (combined with perspiration) can form an alkaline

solution. That may cause skin irritation.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Show this safety data sheet to the doctor in attendance.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Not combustible.

Unsuitable extinguishing

media

Not applicable

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

Even diluted mixed products containing cement can cause

irritation.

Aqueous cement suspensions have an alkaline effect.

5.3 Advice for firefighters

Further information : Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

The product itself does not burn.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Ensure adequate ventilation.

Avoid dust formation.

6.2 Environmental precautions

Environmental precautions : If the product contaminates rivers and lakes or drains inform

respective authorities.

Do not flush into surface water or sanitary sewer system.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Collect spilled product while avoiding dust formation and dis-

pose of it as described in Section 13.

according to Regulation (EC) No. 1907/2006



Capatect Klebe- und Armierungsmasse Uni

Version Revision Date: Print Date Date of last issue: 15.12.2020 1.2 05.02.2021 09.02.2021 Date of first issue: 31.10.2019

Prevent dust from forming and collect any dust mechanically.

6.4 Reference to other sections

For personal protection see section 8.,For further information see Section 7 of the safety data sheet. ,For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : For personal protection see section 8.

Even diluted mixed products containing cement can cause

irritation.

Avoid contact with skin and eyes.

Avoid creating dust.

In addition, the current technical information for this product and its application on www.caparol.com must be observed.

Advice on protection against

fire and explosion

The product is not flammable.

Hygiene measures : Wash hands before eating, drinking, or smoking. Do not eat,

drink or smoke when using this product.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

: Observe label precautions. Keep in a dry, cool place.

Advice on common storage : Never allow product to get in contact with water during stor-

age.

Do not store together with acids and ammonium salts.

Storage class (TRGS 510) : 13, Non Combustible Solids

Further information on stor-

age stability

Aqueous cement suspensions have an alkaline effect.

7.3 Specific end use(s)

Specific use(s) : This information is not available.

according to Regulation (EC) No. 1907/2006



Capatect Klebe- und Armierungsmasse Uni

Version Revision Date: Print Date Date of last issue: 15.12.2020 1.2 05.02.2021 09.02.2021 Date of first issue: 31.10.2019

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Quartz (SiO2)	14808-60-7	TWA (Respirable dust)	0,1 mg/m3	2004/37/EC
	Further information: Carcinogens or mutagens			
kaolin	1332-58-7	TWA (Respirable	0,1 mg/m3	2004/37/EC
		dust)		
	Further information: Carcinogens or mutagens			
Gypsum	13397-24-5	AGW (Alveolate	6 mg/m3	DE TRGS
(Ca(SO4).2H2O)		fraction)		900
	Further information: Senate commission for the review of compounds at the work place dangerous for the health (MAK-commission).			

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

	` ,	5 5	` '	
Substance name	End Use	Exposure routes	Potential health effects	Value
Flue dust, portland cement	Consumers	Inhalation	Acute local effects	4,00 mg/m3
	Consumers	Inhalation	Long-term local effects	1,00 mg/m3
	Workers	Inhalation	Acute local effects	4,00 mg/m3
	Workers	Inhalation	Long-term local effects	1,00 mg/m3

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
Flue dust, portland cement	Marine water	3 μg/l
	Fresh water sediment	875
	Marine sediment	88
	Intermittent use/release	282 μg/l
	Soil	5 mg/kg dry
		weight (d.w.)
	Fresh water	28 μg/l
	Sewage treatment plant	6 mg/l

8.2 Exposure controls

Personal protective equipment

Eye protection : If dust develops or there is a danger of splashing, use protec-

tive goggles with side protection.

German trade association rules - BGR 192 Eye protection

according to Regulation (EC) No. 1907/2006



Capatect Klebe- und Armierungsmasse Uni

Version Revision Date: Print Date Date of last issue: 15.12.2020 1.2 05.02.2021 09.02.2021 Date of first issue: 31.10.2019

Goggles

Hand protection

Material : nitrile coated cotton gloves

Break through time : > 480 min Glove thickness : 0,8 mm Protective index : Class 6

Remarks : Keep a spare pair of gloves handy. If the chemical has

soaked through to the skin, the gloves must be removed and

disposed.

Skin and body protection : Remove and wash contaminated clothing before re-use.

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Safety shoes

Long sleeved clothing

Skin should be washed after contact.

Respiratory protection : Do not breathe dust.

Breathing apparatus only if aerosol or dust is formed.

Filter type : Half mask with a particle filter P2 (EN 143)

German trade association rules - BGR 190 Breathing protec-

tion

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance : powder

Colour : No data available

Odour : cement-like

Odour Threshold : Not relevant

pH : ca. 11 - 13,5

Concentration: 10 % in contact with water

Melting point/freezing point : Not applicable

Boiling point/boiling range : Not applicable

Flash point : Not applicable

according to Regulation (EC) No. 1907/2006



Capatect Klebe- und Armierungsmasse Uni

Version Revision Date: Print Date Date of last issue: 15.12.2020 1.2 05.02.2021 09.02.2021 Date of first issue: 31.10.2019

Evaporation rate : Not applicable

Flammability (solid, gas) : The product is not flammable.

Upper explosion limit / Upper

flammability limit

not determined

Lower explosion limit / Lower :

flammability limit

not determined

Vapour pressure : not determined

Relative vapour density : not determined

Relative density : not determined

Bulk density : ca. 1.200 kg/m3

Solubility(ies)

Water solubility : insoluble

Partition coefficient: n-

octanol/water

not determined

Auto-ignition temperature : not determined

Decomposition temperature : Not applicable

Viscosity

Viscosity, dynamic : Not applicable

Explosive properties : Not applicable

Oxidizing properties : Not applicable

9.2 Other information

Self-ignition : Not applicable

SECTION 10: Stability and reactivity

10.1 Reactivity

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

according to Regulation (EC) No. 1907/2006



Capatect Klebe- und Armierungsmasse Uni

Version Revision Date: Print Date Date of last issue: 15.12.2020 1.2 05.02.2021 09.02.2021 Date of first issue: 31.10.2019

Hazardous reactions : No dangerous reaction known under conditions of normal use.

10.4 Conditions to avoid

Conditions to avoid : Exposure to air or moisture over prolonged periods.

10.5 Incompatible materials

Materials to avoid : humid air and water

Aluminium Acids

Ammonium salts

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Product:

Acute oral toxicity : Remarks: Based on available data, the classification criteria

are not met.

Acute inhalation toxicity : Remarks: Based on available data, the classification criteria

are not met.

Acute dermal toxicity : Remarks: Based on available data, the classification criteria

are not met.

Skin corrosion/irritation

Product:

Remarks : May cause skin irritation and/or dermatitis.

Serious eye damage/eye irritation

Product:

Remarks : May cause irreversible eye damage.

Respiratory or skin sensitisation

Product:

Remarks : No data available

according to Regulation (EC) No. 1907/2006



Capatect Klebe- und Armierungsmasse Uni

Version Revision Date: Print Date Date of last issue: 15.12.2020 1.2 05.02.2021 09.02.2021 Date of first issue: 31.10.2019

SECTION 12: Ecological information

12.1 Toxicity

Product:

Toxicity to fish : Remarks: No data is available on the product itself.

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher...

12.6 Other adverse effects

Product:

Additional ecological infor-

mation

An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Can be landfilled after concentration, when in compliance with

local regulations.

Waste should not be disposed of via wastewater.

Contaminated packaging : Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

Waste Code : used product

170904, mixed construction and demolition wastes other than

those mentioned in 17 09 01, 17 09 02 and 17 09 03

unused product

170903*, other construction and demolition wastes (including

according to Regulation (EC) No. 1907/2006



Capatect Klebe- und Armierungsmasse Uni

Version Revision Date: Print Date Date of last issue: 15.12.2020 1.2 05.02.2021 09.02.2021 Date of first issue: 31.10.2019

mixed wastes) containing dangerous substances

SECTION 14: Transport information

14.1 UN number

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good

IATA : UN 3335

14.2 UN proper shipping name

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA : Aviation regulated solid, n.o.s.

(Cement, portland, chemicals)

14.3 Transport hazard class(es)

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good

IATA : 9

14.4 Packing group

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good

956

IATA (Cargo)

Packing instruction (cargo

aircraft)

Packing instruction (LQ) : Y956
Packing group : III

Labels : Miscellaneous

IATA (Passenger)

according to Regulation (EC) No. 1907/2006



Capatect Klebe- und Armierungsmasse Uni

Version Print Date Date of last issue: 15.12.2020 Revision Date: 1.2 09.02.2021 Date of first issue: 31.10.2019 05.02.2021

956

Packing instruction (passen-

ger aircraft)

Packing instruction (LQ) Y956 Packing group Ш

Labels Miscellaneous

14.5 Environmental hazards

ADN Not regulated as a dangerous good **ADR** Not regulated as a dangerous good RID Not regulated as a dangerous good **IMDG** Not regulated as a dangerous good

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances.

preparations and articles (Annex XVII)

Not applicable

REACH - Candidate List of Substances of Very High

Concern for Authorisation (Article 59).

This product is a mixture and does not contain Substances of Very High Concern (SVHC) equal or above 0.1%. Therefore no advised uses have to be defined and no chemical safety assessment has to be generated.

REACH - List of substances subject to authorisation

(Annex XIV)

None

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

Not applicable

Water contaminating class

slightly water endangering

(Germany)

Classification according to AwSV, Annex 1 (5.2)

according to Regulation (EC) No. 1907/2006



Capatect Klebe- und Armierungsmasse Uni

Version Revision Date: Print Date Date of last issue: 15.12.2020 1.2 05.02.2021 09.02.2021 Date of first issue: 31.10.2019

paints / Giscode

Product code for laquers and : ZP1 Products containing cement, low in chromate

: ZP1 Products containing cement, low in chromate

Volatile organic compounds : < 0.1 %

< 1 g/l

Directive 2004/42/EC

< 0.1 % < 1 g/l

15.2 Chemical safety assessment

A Chemical Safety Assessment is not required for this substance.

SECTION 16: Other information

Full text of H-Statements

Causes skin irritation. H315

H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H335 May cause respiratory irritation.

Full text of other abbreviations

Serious eye damage Eve Dam.

Skin Irrit. Skin irritation Skin Sens. Skin sensitisation

STOT SE Specific target organ toxicity - single exposure

Europe. Directive 2004/37/EC on the protection of workers 2004/37/EC

from the risks related to exposure to carcinogens or mutagens

DE TRGS 900 Germany. TRGS 900 - Occupational exposure limit values.

2004/37/EC / TWA Long term exposure limit DE TRGS 900 / AGW Time Weighted Average

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EMS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Conformation to 50 % of a test population; LSO - Lethal Dose to 50% of a test population; LSO - Lethal Dose to 50% of a test population; LSO - Lethal Dose to 50% of a test population; LSO - Lethal Dose to 50% of a test population; LSO - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; P

according to Regulation (EC) No. 1907/2006



Capatect Klebe- und Armierungsmasse Uni

Version Revision Date: Print Date Date of last issue: 15.12.2020 1.2 05.02.2021 09.02.2021 Date of first issue: 31.10.2019

Further information

Other information:

No exposure scenario communication is required for this product according to REACH Regulation No. 1907/2006 EC.

Communication of Uses is not required in accordance with REACH Article 31(1)(a) - registered substances / mixtures do not meet the criteria for classification as hazardous in accordance with Regulations 1272/2008 EC or 1999/45/EC.

Sources of key data used to compile the Safety Data Sheet:

ECHA WebSite

ACGIH (American Conference of Government Industrial Hygienists). 2014 TLVs and BEIs. Threshold Limit Values (TLVs) for chemical substances and physical agents and Biological Exposure Indices (BEIs) with Seventh Edition documentation. 2014 ACGIH, Cincinnati OH NIOSH - Registry of toxic effects of chemical substances

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX'S - Dangerous properties of industrial materials

GESTIS - Database on hazardous substances - Institut für Arbeitsschutz der Deutschen Gesetzlichen Unfallversicherung (IFA, Institute for Occupational Safety and Health of the German Social Accident Insurance)

Toxnet - Toxicology Data Network

Classification of the mixture: Classification procedure:

Skin Irrit. 2	H315	Calculation method
Eye Dam. 1	H318	Calculation method
STOT SE 3	H335	Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

according to Regulation (EC) No. 1907/2006



Capatect Klebe- und Armierungsmasse Uni

Version Revision Date: Print Date Date of last issue: 15.12.2020 1.2 05.02.2021 09.02.2021 Date of first issue: 31.10.2019

REACH Information

According to our legal obligation we implement the Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH). We will adjust and update our safety data sheets on a regular base in accordance with the information of our upstream-suppliers. As usual we will inform you about the adjustments.

Regarding to the REACH regulation we would like to point out that DAW as a downstream user will not register on behalf of our company. We will rely on information from our suppliers. As soon as new information is available our safety data sheets will be amended accordingly.

DE / EN